

DT-1000

Stainless Steel Keyboard

The DT-1000 is a full-size desktop keyboard, featuring a stainless steel case and a sealed industrial silicone rubber keypad. Its 24 function keys and 10-key number pad allow for user versatility. The DT-1000 meets NEMA 4X specifications, making it resistant to dust, dirt, water and corrosive liquids.



Technical Specifications

Certifications

NEMA 4X
UL60950, FCC Part 15 Class B

Key Switch

MATERIAL: Industrial silicone rubber
LIFE: 10 million cycles
TRAVEL: 0.055
ACTUATION FORCE: 200g (+/- 20g)
FEEDBACK: Tactile with mechanical snap

Power

PS/2 or AT: 50mA@5V (from Keyboard port)
USB: 50mA@5V (from CPU port)

Temperature Range

STORAGE: -40C to +90C
OPERATING: -40C to +70C

Humidity

100%

Shock

3x11 ms pulses of 50g on each of 3 axes

Vibration

POWER SPECTRAL DENSITY: 0.04g/Hz
FREQUENCY RANGE: 20Hz - 2 kHz
DURATION OF TEST PER AXIS: 3 hours

Flammability

PRINTED CIRCUIT BOARD: 94 VO
SILICONE OVERLAY: 94 HB
INTERFACE CABLE: 94 VO

Weight

5.25 lbs (2.38 kg)

Dimensions

16.25" x 7.90" x 1.80" (w-h-d)
412.8mm x 200.7mm x 45.7mm

Cable

LENGTH: 10 FEET (3 meters)
DESIGN: PS/2, AT or Single-Cable USB

Compatibility

PS/2: All Windows Operating Systems
USB: All Windows and Macintosh OS

Warranty

1 year limited warranty

Model Numbers

DT-1000-PS2: With PS/2 cable
DT-1000-USB: With USB cable
DT-1000-STD: With AT cable

Features and Benefits

- USB, PS/2 and AT Configurations Available
- 16.25" x 7.9" x 1.8" (w-h-d)
- 10-Key Numeric Pad
- 114-Key Functionality
- 24 Function Keys
- 16.25" x 7.9" x 1.8" (w-h-d)